

12. EQUESTRIAN TRAIL / UNPAVED PATH REQUIREMENTS

12.1 Material used for the installation of equestrian trails and unpaved paths shall be solidified decomposed granite (DG) per SSPWC 200-2.7. Resin or binder used to solidify the DG and the method of mixing, placement, and compaction of the solidified DG shall be approved by the City Engineer.

13. STORMWATER POLLUTION CONTROL AND BEST MANAGEMENT PRACTICES (BMP's)

13.1 All paved surfaces shall be designed to consider and incorporate permanent runoff reduction and pollution prevention/treatment BMP's, as specified by the Ventura County National Pollutant Discharge and Elimination System (NPDES) Municipal Permit. Technical references and resources relating to applicability and design thresholds are available at the Countywide Stormwater Quality Management Program website, www.VCStormwater.org.

6	Add Stormwater BMP's	3-27-12	MAF	CITY OF THOUSAND OAKS PUBLIC WORKS DEPARTMENT
5	Add DG Path Requirements	10-22-08	MAF	
CHG	DESCRIPTION	DATE	INITIAL	
APPROVED 				STANDARD DESIGN AND CONSTRUCTION CRITERIA
CITY ENGINEER				PLATE NO. 1-11
DATE				
3.27.12				