


MAILBOX OR FIRE HYDRANT SIDEWALK EXTENSION DETAIL
NOT TO SCALE



SECTION A-A
NOT TO SCALE

NOTES:

1. DEVELOPER TO LEAVE OPENING (APPROXIMATELY 10" X 10" OR 10" DIA.) IN SIDEWALK FOR OWNER TO INSTALL POST FOR MAILBOX. OPENING TO BE FILLED IN WITH RIGID TEMPORARY MATERIAL (I.E., WOOD OR CONCRETE BLOCK).
2. MAILBOXES TO BE LOCATED 2' APART SO MAILCARRIER CAN MAKE DEPOSIT IN EACH FROM ONE STOP LOCATION, IF POSSIBLE.
3. THE PRECISE LOCATION OF THIS EXTENSION RELATIVE TO THE LOT LINE MAY BE SHIFTED ±5' TO AVOID CONFLICT WITH STREET LIGHT ELECTROLIERS, DRIVEWAY APPROACHES (I.E., NO CLOSER THAN 4' FROM SUCH ITEMS).
4. EXTENSIONS FOR INDIVIDUAL MAILBOX LOCATIONS, OTHER THAN AT A COMMON PROPERTY BOUNDARY OR MULTIPLE INSTALLATIONS (I.E., 3 OR MORE GROUPED TOGETHER), MAY BE PERMITTED UPON SUBMITTAL OF A FINAL PLOT PLAN.

CHANGE	DESCRIPTION	DATE	INITIAL	APPROVED: <i>Cliff Fitch</i> CITY ENGINEER	5/21/18 DATE
--------	-------------	------	---------	---	-----------------