


CROSS SECTION
NOT TO SCALE

UTILITY	MIN. COVER	
	W/IN STREET EASEMENT	BEHIND C&G, SIDEWALK
* C.T.V.	30"	16"
* GAS	30"	16"
SEWER	7'+	N/A
* S.C.E.	36" to 48"	24"
STORM DRAIN	36"	N/A
* TEL.	30"	16"
WATER	36" to 48"	N/A

* - BOTH SIDES AT ENGINEER'S OPTION



CROSS SECTION
NOT TO SCALE

NOTES:

1. SANITARY SEWER TO BE 5' SOUTH OR EAST OF STREET CENTER LINE, OR AS REQUIRED TO MEET 4' MIN, CLEARANCE TO STORM DRAIN.
2. WATER TO BE 5' NORTH OR WEST OF STREET CENTER LINE, OR AS REQUIRED TO MEET 4' MIN CLEARANCE TO STORM DRAIN.
3. ALL ELECTRICAL UTILITIES MAY BE PLACED IN COMMON TRENCH.
4. EACH RESPECTIVE UTILITY SHOULD BE CONSULTED FOR ANY SPECIAL REQUIREMENTS DUE TO UNIQUE FIELD AND DESIGN CONDITIONS. VAULTS, J-BOXES, PEDESTALS, ETC. SHALL BE LOCATED AT PROPERTY LINES.
5. A UTILITY SHALL NOT REDUCE THE REQUIRED 4' MIN. WIDTH OF ACCESSIBLE PATHWAY FOR THE PHYSICALLY HANDICAPPED. IF NEEDED, PROVIDE SIDEWALK EXTENSION SIMILAR TO PLATE NOS. 8-8 OR 8-9.
6. NO UTILITIES IN MEDIAN UNLESS APPROVED BY THE CITY ENGINEER.
7. ENGRAVE 2" HIGH LETTER "S" IN CURB FACE AT LOCATION OF SEWER LATERAL.
8. STREET TREE PLANTING TO CONFORM TO PLATE NOS. 1-10 AND 8-17.

CHANGE	DESCRIPTION	DATE	INITIAL

APPROVED:
CITY ENGINEER

DATE: 5/21/18